

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 15:44
S2	0	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/26 07:31
S3	3	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 16:12
S4	97266	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 16:20
S5	1108	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 16:21
S6	57	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 16:21
S7	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 16:37
S8	264	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 17:09
S9	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 17:17
S10	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 17:17

S11	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 17:17
S12	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 17:18
S13	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 17:38
S14	0	@ad<"19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 17:41
S15	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/02 17:41
S16	138	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/03 09:37
S17	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/03 09:38
S18	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/03 09:39
S19	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/03 10:26
S20	264	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/04 13:02
S21	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/04 13:02
S22	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/04 14:16

S23	571	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/04 14:17
S24	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/04 14:17
S25	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/04 14:17
S26	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/04 14:17
S27	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/04 14:18
S28	11	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/24 14:29
S29	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 12:22
S30	63	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/04/28 12:23
S31	299	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/04/28 12:27
S32	208910	((@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 14:50
S33	84941	((@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 14:50
S34	36704	((@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 14:52
S35	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 14:54

S36	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 14:54
S37	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 14:55
S38	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S39	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S40	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S41	125864	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S42	1453	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S43	75	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S44	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S45	309	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S46	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S47	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44

S48	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S49	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S50	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S51	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S52	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S53	194	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S54	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S55	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S56	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S57	309	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S58	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S59	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44

S60	615	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S61	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S62	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S63	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S64	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S65	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S66	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/15 15:44
S67	69	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2010/03/15 15:44
S68	317	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2010/03/15 15:44
S69	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S70	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S71	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S72	136329	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29

S73	1584	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S74	83	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S75	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S76	338	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S77	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S78	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S79	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S80	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S81	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S82	0	@ad<"19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S83	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S84	218	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29

S85	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S86	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S87	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S88	338	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S89	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S90	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S91	640	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S92	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S93	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S94	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S95	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S96	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29

S97	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S98	78	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2010/08/24 14:29
S99	332	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2010/08/24 14:29
S100	221091	((@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/24 14:29
S101	88312	((@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/24 14:29
S102	36793	((@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/24 14:29
S103	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/24 14:29
S104	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/24 14:29
S105	30	((@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/24 14:29
S106	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S107	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S108	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S109	136329	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29

S110	1584	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S111	83	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S112	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S113	338	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S114	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S115	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S116	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S117	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S118	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S119	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S120	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S121	218	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29

S122	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S123	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S124	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S125	338	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S126	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S127	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S128	640	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S129	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S130	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S131	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S132	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S133	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29

S134	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 14:29
S135	78	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2010/08/24 14:29
S136	332	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2010/08/24 14:29
S137	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S138	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S139	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S140	148005	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S141	1722	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S142	92	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S143	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S144	361	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S145	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S146	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23

S147	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S148	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S149	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S150	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S151	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S152	232	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S153	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S154	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S155	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S156	361	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S157	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S158	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23

S159	667	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S160	0	Kubler.in. +near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S161	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S162	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S163	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S164	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S165	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S166	84	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/02/20 19:23
S167	351	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/02/20 19:23
S168	234368	((@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S169	91917	((@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S170	36914	((@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S171	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23

S172	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S173	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S174	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S175	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S176	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S177	148005	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S178	1722	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S179	92	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S180	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S181	361	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S182	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S183	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23

S184	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S185	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S186	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S187	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S188	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S189	232	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S190	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S191	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S192	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S193	361	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S194	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S195	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23

S196	667	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S197	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S198	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S199	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S200	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S201	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S202	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S203	84	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/02/20 19:23
S204	351	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/02/20 19:23
S205	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S206	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S207	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S208	148005	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23

S209	1722	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S210	92	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S211	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S212	361	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S213	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S214	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S215	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S216	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S217	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S218	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S219	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S220	232	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23

S221	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S222	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S223	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S224	361	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S225	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S226	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S227	667	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S228	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S229	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S230	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S231	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S232	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23

S233	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S234	84	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/02/20 19:23
S235	351	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/02/20 19:23
S236	234368	(@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S237	91917	(@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S238	36914	(@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S239	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S240	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S241	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/20 19:23
S242	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S243	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S244	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S245	148005	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23

S246	1722	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S247	92	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S248	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S249	361	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S250	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S251	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S252	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S253	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S254	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S255	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S256	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S257	232	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23

S258	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S259	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S260	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S261	361	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S262	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S263	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S264	667	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S265	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S266	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S267	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S268	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S269	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23

S270	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/20 19:23
S271	84	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/02/20 19:23
S272	351	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/02/20 19:23
S280	30	(@ad<"19951005" @lad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/06 20:47
S281	8	("2004/0090952").URPN.	USPAT	OR	ON	2011/03/06 20:52
S282	18	"5,204,976"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 16:46
S283	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/05 11:37
S284	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/13 10:55
S285	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/13 10:55
S286	121	"6389010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/13 11:14
S287	2	"6389010".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/13 11:15
S288	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S289	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S290	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S291	151582	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S292	1768	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S293	93	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S294	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S295	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S296	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S297	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S298	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S299	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S300	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S301	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S302	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S303	239	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S304	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S305	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S306	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S307	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S308	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S309	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S310	674	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S311	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S312	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S313	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S314	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S315	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S316	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S317	90	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S318	360	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S319	238719	(@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S320	93094	(@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S321	36952	(@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S322	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S323	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S324	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S325	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S326	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S327	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S328	151582	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S329	1768	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S330	93	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S331	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S332	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S333	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S334	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S335	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S336	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S337	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S338	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S339	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S340	239	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S341	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S342	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S343	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S344	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S345	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S346	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S347	674	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S348	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S349	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S350	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S351	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S352	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S353	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S354	90	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S355	360	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S356	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S357	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S358	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S359	151582	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S360	1768	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S361	93	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S362	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S363	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S364	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S365	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S366	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S367	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S368	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S369	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S370	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S371	239	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S372	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S373	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S374	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S375	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S376	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S377	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S378	674	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S379	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S380	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S381	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S382	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S383	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S384	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S385	90	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S386	360	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S387	238719	(@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S388	93094	(@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S389	36952	(@ad<"19951005" @rlad<"19951005") and routing options near user same selected	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2011/04/21 00:00

		near call near route	DERWENT; IBM_TDB			
S390	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S391	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S392	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S393	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S394	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S395	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S396	151582	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S397	1768	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S398	93	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S399	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S400	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S401	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S402	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S403	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S404	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S405	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S406	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S407	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S408	239	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S409	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S410	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S411	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S412	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S413	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S414	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S415	674	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S416	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S417	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S418	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S419	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S420	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S421	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S422	90	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S423	360	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S424	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S425	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S426	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S427	151582	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S428	1768	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S429	93	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S430	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S431	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S432	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S433	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S434	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S435	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S436	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S437	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S438	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S439	239	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S440	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S441	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S442	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S443	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S444	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S445	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S446	674	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S447	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S448	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S449	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S450	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S451	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S452	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S453	90	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S454	360	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S455	238719	(@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S456	93094	(@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S457	36952	(@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S458	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S459	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S460	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:00
S461	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S462	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S463	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S464	151582	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S465	1768	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S466	93	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S467	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S468	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S469	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S470	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S471	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S472	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S473	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S474	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S475	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S476	239	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S477	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S478	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S479	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S480	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S481	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S482	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S483	674	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S484	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S485	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S486	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S487	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S488	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S489	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S490	90	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S491	360	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:00
S492	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S493	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S494	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S495	151582	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S496	1768	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S497	93	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S498	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S499	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S500	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:00

			DERWENT; IBM_TDB			
S501	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S502	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S503	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S504	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S505	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S506	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S507	239	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S508	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:00
S509	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S510	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S511	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S512	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:01

			DERWENT; IBM_TDB			
S513	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S514	674	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S515	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S516	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S517	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S518	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S519	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S520	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S521	90	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:01
S522	360	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:01
S523	238719	(@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S524	93094	(@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S525	36952	(@ad<"19951005" @rlad<"19951005") and routing options near user same selected	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2011/04/21 00:01

		near call near route	DERWENT; IBM_TDB			
S526	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S527	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S528	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S529	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S530	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S531	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S532	151582	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S533	1768	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S534	93	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S535	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S536	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S537	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:01

			DERWENT; IBM_TDB			
S538	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S539	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S540	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S541	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S542	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S543	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S544	239	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S545	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S546	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S547	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S548	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S549	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ADJ	ON	2011/04/21 00:01

			DERWENT; IBM_TDB			
S550	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S551	674	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S552	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S553	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S554	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S555	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S556	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S557	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/21 00:01
S558	90	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:01
S559	360	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/04/21 00:01
S560	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S561	8	("2004/0090952").URPN.	USPAT	OR	ON	2011/04/21 00:01
S562	19	"5,204,976"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S563	2	"5726984".pn.	US-PGPUB;	OR	ON	2011/04/21

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			00:01
S564	374	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S565	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S566	121	"6389010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S567	2	"6389010".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/21 00:01
S575	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S576	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S577	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S578	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S579	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S580	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S581	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S582	402	"5726984"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:50
S583	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S584	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S585	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S586	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S587	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S588	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S589	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S590	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S591	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S592	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S593	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S594	402	"5726984"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:50
S595	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S596	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S597	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S598	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S599	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S600	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S601	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S602	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S603	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S604	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:50
S605	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:50
S606	256989	(@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:50
S607	97962	(@ad<"19951005"	US-PGPUB;	OR	ON	2011/12/11

		@rlad<"19951005") and routing options near user	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:50
S608	37040	(@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:50
S609	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:50
S610	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:50
S611	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:50
S612	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S613	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S614	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S615	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S616	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S617	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S618	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S619	402	"5726984"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:50
S620	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S621	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S622	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S623	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S624	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S625	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S626	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S627	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S628	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S629	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S630	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S631	402	"5726984"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:50
S632	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S633	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S634	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S635	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S636	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S637	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S638	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S639	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S640	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S641	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:50
S642	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:50
S643	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S644	1	"10678897"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:50
S645	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S646	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S647	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S648	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S649	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S650	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S651	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S652	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S653	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S654	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S655	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S656	0	@ad<"19951005" and wireless	US-PGPUB;	ADJ	ON	2011/12/11

		link and setup near call near route	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:50
S657	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S658	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S659	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S660	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S661	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S662	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S663	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S664	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S665	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S666	0	Kubler.in. +near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S667	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S668	35	Kubler.in. and Norand	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:50
S669	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S670	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S671	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:50
S672	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:50
S673	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S674	256989	((@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S675	97962	((@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S676	37040	((@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S677	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S678	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S679	30	((@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S680	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S681	1	"10678897"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S682	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S683	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S684	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S685	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S686	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S687	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S688	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S689	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S690	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S691	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S692	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S693	0	@ad<"19951005" and wireless	US-PGPUB;	ADJ	ON	2011/12/11

		link and setup near call near route	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S694	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S695	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S696	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S697	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S698	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S699	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S700	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S701	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S702	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S703	0	Kubler.in. +near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S704	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S705	35	Kubler.in. and Norand	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S706	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S707	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S708	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S709	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S710	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S711	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S712	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S713	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S714	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S715	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S716	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S717	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S718	402	"5726984"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S719	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S720	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S721	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S722	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S723	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S724	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S725	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S726	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S727	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S728	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S729	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S730	402	"5726984"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S731	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S732	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S733	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S734	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S735	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S736	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S737	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S738	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S739	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S740	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S741	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S742	256989	((@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S743	97962	((@ad<"19951005"	US-PGPUB;	OR	ON	2011/12/11

		@rlad<"19951005") and routing options near user	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S744	37040	((@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S745	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S746	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S747	30	((@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S748	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S749	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S750	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S751	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S752	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S753	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S754	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S755	402	"5726984"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S756	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S757	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S758	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S759	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S760	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S761	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S762	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S763	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S764	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S765	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S766	9	@ad< "19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S767	402	"5726984"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S768	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S769	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S770	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S771	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S772	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S773	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S774	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S775	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S776	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S777	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S778	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S779	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S780	1	"10678897"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S781	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S782	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S783	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S784	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S785	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S786	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S787	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S788	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S789	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S790	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S791	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S792	0	@ad<"19951005" and wireless	US-PGPUB;	ADJ	ON	2011/12/11

		link and setup near call near route	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S793	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S794	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S795	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S796	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S797	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S798	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S799	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S800	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S801	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S802	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S803	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S804	35	Kubler.in. and Norand	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S805	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S806	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S807	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S808	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S809	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S810	256989	(@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S811	97962	(@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S812	37040	(@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S813	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S814	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S815	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S816	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S817	1	"10678897"	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S818	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S819	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S820	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S821	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S822	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S823	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S824	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S825	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S826	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S827	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S828	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S829	0	@ad<"19951005" and wireless	US-PGPUB;	ADJ	ON	2011/12/11

		link and setup near call near route	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S830	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S831	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S832	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S833	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S834	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S835	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S836	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S837	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S838	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S839	0	Kubler.in. +near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S840	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S841	35	Kubler.in. and Norand	US-PGPUB;	ADJ	ON	2011/12/11

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:51
S842	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S843	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S844	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S845	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S846	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S847	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S848	9	("2004/0090952").URPN.	USPAT	OR	ON	2011/12/11 10:51
S849	22	"5,204,976"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S850	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S851	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S852	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S853	131	"6389010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S854	2	"6389010".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2011/12/11 10:51

			IBM_TDB			
S855	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S856	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S857	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S858	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S859	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S860	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S861	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S862	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S863	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S864	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S865	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S866	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S867	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S868	0	@ad<"19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S869	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S870	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S871	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S872	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S873	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S874	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S875	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S876	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S877	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S878	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S879	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S880	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S881	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S882	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S883	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S884	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S885	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S886	256989	((@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S887	97962	((@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S888	37040	((@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S889	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S890	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S891	30	((@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2011/12/11 10:51

			IBM_TDB			
S892	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S893	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S894	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S895	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S896	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S897	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S898	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S899	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S900	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S901	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S902	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S903	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S904	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S905	0	@ad<"19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S906	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S907	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S908	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S909	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S910	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S911	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S912	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S913	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S914	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S915	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S916	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S917	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S918	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S919	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S920	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S921	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S922	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S923	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S924	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S925	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S926	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S927	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S928	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S929	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S930	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S931	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S932	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S933	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S934	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S935	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S936	0	@ad<"19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S937	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S938	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S939	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S940	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S941	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S942	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S943	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S944	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S945	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S946	0	Kubler.in. +near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S947	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S948	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S949	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S950	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S951	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S952	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S953	379	((MICHAEL) near2	US-PGPUB;	ADJ	ON	2011/12/11

		(MORRIS).INV.	USPAT			10:51
S954	256989	(@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S955	97962	(@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S956	37040	(@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S957	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S958	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S959	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S960	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S961	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S962	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S963	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S964	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S965	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S966	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S967	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S968	686	@ad< "19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S969	0	@ad< "19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S970	115	@ad< "19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S971	11	@ad< "19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S972	25	@ad< "19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S973	0	@ad< "19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S974	1	@ad< "19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S975	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S976	3	@ad< "19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S977	34	@ad< "19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S978	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S979	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S980	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S981	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S982	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S983	0	Kubler.in. +near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S984	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S985	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S986	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S987	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S988	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S989	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S990	379	((MICHAEL) near2	US-PGPUB;	ADJ	ON	2011/12/11

		(MORRIS).INV.	USPAT			10:51
S991	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S992	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S993	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S994	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S995	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S996	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S997	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S998	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S999	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1000	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1001	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1002	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S1003	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1004	0	@ad<"19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1005	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1006	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1007	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1008	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1009	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1010	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1011	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1012	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1013	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1014	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S1015	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1016	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1017	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1018	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1019	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1020	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S1021	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S1022	256989	((@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1023	97962	((@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1024	37040	((@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1025	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1026	0	((@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1027	30	((@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2011/12/11 10:51

			IBM_TDB			
S1028	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1029	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1030	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1031	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1032	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1033	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1034	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1035	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1036	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1037	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1038	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1039	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S1040	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1041	0	@ad<"19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1042	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1043	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1044	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1045	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1046	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1047	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1048	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1049	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1050	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1051	0	Kubler.in. + near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S1052	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1053	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1054	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1055	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1056	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1057	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S1058	379	((MICHAEL) near2 (MORRIS)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S1059	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1060	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1061	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1062	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1063	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1064	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S1065	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1066	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1067	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1068	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1069	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1070	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1071	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1072	0	@ad<"19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1073	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1074	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1075	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1076	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S1077	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1078	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1079	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1080	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1081	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1082	0	Kubler.in. +near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1083	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1084	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1085	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1086	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1087	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1088	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S1089	379	((MICHAEL) near2	US-PGPUB;	ADJ	ON	2011/12/11

		(MORRIS).INV.	USPAT			10:51
S1090	256989	(@ad<"19951005" @rlad<"19951005") and routing options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1091	97962	(@ad<"19951005" @rlad<"19951005") and routing options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1092	37040	(@ad<"19951005" @rlad<"19951005") and routing options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1093	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user same selected near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1094	0	(@ad<"19951005" @rlad<"19951005") and routing adj options near user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1095	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1096	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1097	1	"10678897"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1098	4	"11274371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1099	167488	graphical user interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1100	1920	graphical user interface and time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1101	102	graphical user interface same time scale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S1102	1	"10783587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1103	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1104	686	@ad<"19951005" and wireless link	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1105	0	@ad<"19951005" and wireless link near spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1106	115	@ad<"19951005" and wireless link and spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1107	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1108	25	@ad<"19951005" and wireless link and setup near call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1109	0	@ad<"19951005" and wireless link and setup near call near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1110	1	@ad<"19951005" and wireless link and setup near call same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1111	261	cost near link near rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1112	3	@ad<"19951005" and cost near link near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1113	34	@ad<"19951005" and cost near link same route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/12/11 10:51

			IBM_TDB			
S1114	9	@ad<"19951005" and call routing option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1115	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1116	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1117	0	Kubler.in. near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1118	685	Kubler.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1119	0	Kubler.in. +near Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1120	0	Kubler.in. same Morris.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1121	35	Kubler.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1122	20	Morris.in. and Norand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1123	12	"6602698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1124	11	@ad<"19951005" and wireless link and spread same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/12/11 10:51
S1125	93	((JOSEPH) near2 (KUBLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/12/11 10:51
S1126	379	((MICHAEL) near2	US-PGPUB;	ADJ	ON	2011/12/11

		(MORRIS).INV.	USPAT			10:51
S1127	30	(@ad<"19951005" @rlad<"19951005") and routing adj options same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1128	9	("2004/0090952").URPN.	USPAT	OR	ON	2011/12/11 10:51
S1129	22	"5,204,976"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1130	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1131	402	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1132	2	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1133	131	"6389010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1134	2	"6389010".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/11 10:51
S1151	11	"5786924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2011/12/11 23:14
S1152	3	"5726924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2011/12/11 23:15
S1153	401	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2011/12/11 23:17
S1154	1	"5726984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2011/12/11 23:17
S1165	0	user near5 (select\$3 choos\$3) with call adj2 (route\$1 path\$1) and "1"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/27 00:00

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	129	"4,751,728"	US-PGPUB; USPAT; UPAD	OR	ON	2012/02/27 12:58
L2	1	"4751728".pn.	US-PGPUB; USPAT; UPAD	OR	ON	2012/02/27 12:58
S273	2341746	@ad<"19951005" @rlad<"19951005"	US-PGPUB; USPAT; UPAD	OR	ON	2011/02/20 19:20
S274	14786	370/328 370/406	US-PGPUB; USPAT; UPAD	OR	ON	2011/02/20 19:21
S275	244	S273 and S274	US-PGPUB; USPAT; UPAD	OR	ON	2011/02/20 19:21
S276	102	S275 and route	US-PGPUB; USPAT; UPAD	OR	ON	2011/02/20 19:22
S277	2	S275 and (select near route)	US-PGPUB; USPAT; UPAD	OR	ON	2011/02/20 19:22
S278	0	S275 and user same (select near route)	US-PGPUB; USPAT; UPAD	OR	ON	2011/02/20 19:22
S279	0	S275 and (user same (select near route))	US-PGPUB; USPAT; UPAD	OR	ON	2011/02/20 19:23
S568	2341951	@ad<"19951005" @rlad<"19951005"	US-PGPUB; USPAT; UPAD	OR	ON	2011/04/21 00:01
S569	15375	370/328 370/406	US-PGPUB; USPAT; UPAD	OR	ON	2011/04/21 00:01
S570	247	S568 and S569	US-PGPUB; USPAT; UPAD	OR	ON	2011/04/21 00:01
S571	102	S570 and route	US-PGPUB; USPAT; UPAD	OR	ON	2011/04/21 00:01
S572	2	S570 and (select near route)	US-PGPUB;	OR	ON	2011/04/21 00:01

			USPAT; UPAD			
S573	0	S570 and user same (select near route)	US- PGPUB; USPAT; UPAD	OR	ON	2011/04/21 00:01
S574	0	S570 and (user same (select near route))	US- PGPUB; USPAT; UPAD	OR	ON	2011/04/21 00:01
S1135	2342694	@ad<"19951005" @rlad<"19951005"	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1136	18063	370/328 370/406	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1137	248	S1135 and S1136	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1138	103	S1137 and route	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1139	2	S1137 and (select near route)	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1140	0	S1137 and user same (select near route)	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1141	0	S1137 and (user same (select near route))	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1142	2342694	@ad<"19951005" @rlad<"19951005"	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1143	18063	370/328 370/406	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1144	248	S1142 and S1143	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1145	103	S1144 and route	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1146	2	S1144 and (select near route)	US- PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51

S1147	0	S1144 and user same (select near route)	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1148	0	S1144 and (user same (select near route))	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 10:51
S1149	0	((@ad @rlad)<"19951005"	USPAT; UPAD	ADJ	ON	2011/12/11 21:52
S1150	2323096	((@ad @rlad)<"19951005"	USPAT; UPAD	OR	ON	2011/12/11 21:52
S1155	13135	370/328 370/406	USPAT; UPAD	OR	ON	2011/12/11 23:07
S1156	2342694	@ad<"19951005" @rlad<"19951005"	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 23:07
S1157	240	S1155 and S1156	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 23:07
S1158	7	S1157 and (message same routing same requesting)	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 23:09
S1159	0	S1157 and (message same routing same requesting same user same indication)	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 23:10
S1160	23183	370/349 370/338	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 23:22
S1161	30059	370/349 370/352	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 23:22
S1162	66	S1161 and (user same (select near route))	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 23:23
S1163	19	S1161 and (message same routing same requesting same user same indication)	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 23:23
S1164	1	S1161 and (message same routing same requesting same user same indication same selected)	US-PGPUB; USPAT; UPAD	OR	ON	2011/12/11 23:24
S1166	2323219	((@ad @rlad)<"19951005"	USPAT; UPAD	OR	ON	2012/02/26 23:57
S1167	26801	370/254 370/315 370/401	USPAT; UPAD	OR	ON	2012/02/26 23:58
S1168	581	S1166 and S1167	USPAT; UPAD	OR	ON	2012/02/26 23:58
S1169	0	user near5 (select\$3 choos\$3) with call adj2 (route\$1 path\$1) and "1"	USPAT; UPAD	ADJ	ON	2012/02/27 00:00

S1170	140	user near5 (select\$3 choos\$3) with call adj2 (route\$1 path\$1) and "1"	USPAT; UPAD	OR	ON	2012/02/27 00:00
S1171	51	user.clm. and call adj3 (routes paths).clm. and (@rlad<"19951005" @ad<"19951005")	USPAT; UPAD	OR	ON	2012/02/27 00:01

2/ 27/ 2012 1:39:05 PM
C:\ Users\ hbaron\ Documents\ EAST\ Workspaces\ 10783587.w sp